

AstorLite® J50  
Candle Wax & Additives  
Product Data Sheet

**Product Description** AstorLite® J50 is a soft white, opaque wax specially designed for jar / container candles. Its cohesive strength and low shrinkage allow it to adhere to the container. Using AstorLite® J50, jar /container candles can be made with a single filling with no top-off necessary.

Typical Properties and Characteristics	Test Description	ASTM Method	Typical
	Congealing Point	(ASTM D-938)	124 - 132°F
	Needle Penetration @ 25°C	(ASTM D-1321)	86-110 dmm min.
	Drop Melting Point	(ASTM D-127)	128-136 °F
	Color (Saybolt)	(ASTM D-156)	+ 8 MIN

**Product Form and Packaging** AstorLite® J50 is offered in slabs of approx. 10 lbs. Packed in 50 lb. Cartons.

**Health & Safety** See MSDS

**Storage and Handling** AstorLite® J50 should be stored in a cool, dry place where the temperature does not exceed 30C.

**Applications** Jar/container candles

Offices	Americas	Europe / Middle East / Africa	Asia / Australasia
	Honeywell Specialty Wax & Additives Mail Stop: Sol-3 101 Columbia Rd Morristown, NJ 07962	Honeywell Specialty Wax & Additives Hutte-60 B-4700 Eupen Belgium Telephone: 32-87-59-81-59	Honeywell Pte Ltd 17 Changi Business Park Central 1 Honeywell Building Singapore 486073
	Toll Free: 1-800-421-4929 Fax: 973-455-6154 Email: astorlite@honeywell.com	Fax: 32-87-74-36-70 Email: astorlite@honeywell.com	Telephone: 65-355-2828 Fax: 65-783-6050 Email: astorlite@honeywell.com

**Website** [www.astorlite.com](http://www.astorlite.com)

The information contained herein is, to our best knowledge, true and accurate, but all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. There is no implied warranty of merchantability or fitness for purpose of the product or products described herein. In submitting this information, no liability is assumed or license or other rights express or implied given with respect to any existing or pending patent, patent applications or trademarks. The observance of all legal regulations and patents is the responsibility of the user.

AstorLite® is a registered trademark of Honeywell International, Inc. © Honeywell International, Inc. 2001