

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product: Mountain Mist  
Product Type: Fragrance Compound (Mixture)  
Company: CandleScience  
1247 Person St.  
Durham, NC 27703

Product ID: 1737  
SKUs: 91381-91386

Emergency telephone CHEMTREC 1-800-424-9300

**SECTION 2. HAZARDS IDENTIFICATION**

CLASSIFICATION ACCORDING TO HCS 2012 (29 CFR PARTS 1910, 1915, AND 1926):

Skin Corrosion/Irritation:	Category 2
Eye Damage/Irritation:	Category 2
Skin Sensitization:	Category 1
Acute Aquatic Toxicity:	Category 1
Chronic Aquatic Toxicity:	Category 1

Signal Word:

**WARNING**



Hazard Statement:

Causes skin irritation. Causes serious eye irritation. May cause an allergic reaction. Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

**Prevention:**

Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/clothing/eye/face protection. Avoid breathing dust/fume/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Keep away from heat/sparks/open flames/hot surfaces. No smoking.

**Response:**

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. If on skin: Wash with soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention. In case of fire: Use carbon dioxide (CO<sub>2</sub>), dry chemical, or foam for extinction.

**Storage:**

Store in a well-ventilated place. Keep cool.

**Disposal:**

Dispose of contents/container in accordance with local/national laws and regulations.

Please note: Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENT

Hazardous components	CAS No.	Weight %
Benzyl benzoate	120-51-4	20 - 30
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)	54464-57-2	10 - 20
2-tert-Butylcyclohexyl acetate	88-41-5	5 - 10
d-Limonene	5989-27-5	5 - 10
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta[g]-2-benzopyran	1222-05-5	3 - 5
Eugenol	97-53-0	1 - 3
Linalool	78-70-6	1 - 3
alpha-Methylcinnamaldehyde	101-39-3	1 - 3
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	1 - 3
Cinnamaldehyde	104-55-2	1 - 3
Linalyl acetate	115-95-7	1 - 3
(-)-Thujopsene	470-40-6	1 - 3
4-(1,7,7-trimethyl-2-bicyclo[3.1.1]heptanyl)cyclohexan-1-ol	68877-29-2	1 - 3
(+)-Cedrol	77-53-2	1 - 3
4-tert-Butyl cyclohexyl acetate	32210-23-4	1 - 3
alpha,alpha-Dimethylphenethyl	10094-34-5	1 - 3
4-Methyl-3-decen-5-ol	81782-77-6	1 - 3
Citral	5392-40-5	1 - 3
Tricyclodecanyl propionate	17511-60-3	1 - 3
Dihydromyrcenol	18479-58-8	1 - 3
Acetyl cedrene	32388-55-9	1 - 3
(-)-α-Cedrene	469-61-4	≤ 1
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5	≤ 1
Isocyclocitral	1335-66-6	≤ 1
4-(4-Methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde	37677-14-8	≤ 1
[3R-(3a,3ab,7b,8aa)]-octahydro-3,8,8-trimethyl-6-methylene-1H-3a,7-	546-28-1	≤ 1
Bornan-2-one	76-22-2	≤ 1
Benzaldehyde	100-52-7	≤ 1

Allyl (3-methylbutoxy)acetate	67634-00-8	≤ 1
Hexyl cinnamic aldehyde	101-86-0	≤ 1
β-Myrcene	123-35-3	≤ 1
alpha-Pinene	80-56-8	≤ 1
Ethyl methylphenylglycidate	77-83-8	≤ 1
Allyl heptanoate	142-19-8	≤ 1

## SECTION 4. FIRST AID MEASURES

### Inhalation:

In the event of exposure to vapors, immediately remove from the area to a fresh air environment. Individuals showing evidence of inhalation exposure should be taken to an uncontaminated area. Obtain medical advice immediately.

### Skin contact:

Remove contaminated clothes. Wash skin with large volumes of water. If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

### Eye contact:

In the event of contact with the eyes, irrigate with water for at least 15 minutes; obtain medical advice if irritation persists.

### Ingestion:

In the event of accidental ingestion, rinse mouth with water. Give up to one tumbler (half pint) of milk or water. Obtain medical advice immediately. Do not induce vomiting.

### Most important symptoms:

No known symptoms to date.

### Indication of immediate medical attention:

Treat symptomatically.

### General information:

When in doubt or if symptoms are observed, seek medical advice.

## SECTION 5. FIREFIGHTING MEASURES

### Suitable extinguishing media:

Foam, carbon dioxide, or dry chemical.

### Unsuitable extinguishing media:

Avoid use of water in extinguishing fires.

### Specific hazards:

During fire, gases hazardous to health may be formed. Do not allow run-off from fire fighting to enter drains or water courses.

### Special fire fighting procedures:

Wear self-contained breathing apparatus for firefighting. Move containers from fire area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures:**

Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up.

**Environmental precautions:**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Dispose of in accordance with local regulations. Local authorities should be advised if significant spillage cannot be contained.

**Methods and materials for containment and cleaning up:**

Soak up with inert absorbent material (e.g. sand, silica gel, vermiculite). Keep in suitable and closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

**SECTION 7. HANDLING AND STORAGE****Precautions for safe handling:**

Avoid contact with skin and eyes. Avoid prolonged inhalation of vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety practices.

**Conditions for safe storage, including any incompatibilities:**

Store in tightly closed and upright container in a cool, dry, ventilated area. Store away from light, heat, and sources of ignition.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines:**

US WEEL: Benzaldehyde (CAS 100-52-7) TWA 2ppm (8.7 mg/m<sup>3</sup>)

US WEEL: Benzaldehyde (CAS 100-52-7) STEL 4ppm (17.4 mg/m<sup>3</sup>)

ACGIH: Citral (CAS 5392-40-5) TWA 5 ppm

ACGIH: d-Limonene (CAS 5989-27-5) TWA 5 ppm

ACGIH: Bornan-2-one (CAS 76-22-2) STEL 3 ppm

ACGIH: Bornan-2-one (CAS 76-22-2) TWA 2 ppm

NIOSH IDLH: Bornan-2-one (CAS 76-22-2) 200 mg/m<sup>3</sup>

OSHA PEL: Bornan-2-one (CAS 76-22-2) TWA 2 mg/m<sup>3</sup>

ACGIH: alpha-Pinene (CAS 80-56-8) TWA 20 ppm

**Appropriate Engineering Controls:****Ventilation:**

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

**Personal Protective Equipment:****Eye protection:**

Ensure that eyewash stations and safety showers are close to the workstation location.  
Chemical resistant goggles must be worn.

**Hand protection:**

Wear chemical resistant gloves suitable for this material as determined by a hazard assessment. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Skin and body protection:**

Wear protective clothing suitable for this material as determined by a hazard assessment.

**Respiratory protection:**

Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, where indicated or required by the exposure assessment. Selection of air-purifying or positive-pressure supplied air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the actual or potential airborne concentrations. The type of cartridge or filter to be used must be selected and approved for the chemical, class, or classes of chemicals likely to be encountered in the workplace. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

**General hygiene considerations:**

Handle in accordance with good industrial hygiene and safety practice. Remove contaminated clothing and protective equipment before entering eating areas. Wash hands before breaks and immediately after handling the product.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Liquid
Color:	Light yellow to yellow
Odor:	Characteristic
Odor threshold:	N/A
pH:	N/A
Melting point:	N/A
Boiling point:	N/A
Flashpoint:	83.3 °C      182 °F
Evaporation Rate (Butyl Acetate = 1):	N/A
Flammability (solid, gas):	N/A
Upper lower flammability or explosive limits:	N/A
Vapor density (Air=1):	N/A
Vapor pressure:	0.27885 mmHg@20°C (Calculated)
Specific gravity (H2O=1):	0.9896
Solubility in water:	N/A
Solubility in other solvents:	N/A
Partition coefficient: n-octanol/water:	N/A

# SAFETY DATA SHEET

Auto-ignition temperature:	N/A
Decomposition temperature:	N/A
Kinematic viscosity:	N/A
Dynamic viscosity:	N/A
Explosive properties:	N/A
Oxidizing properties:	N/A
Refractive index:	1.4983 - 1.5083 (n <sub>25°C/D</sub> )

## SECTION 10. STABILITY AND REACTIVITY

### Chemical stability:

The product is stable and non-reactive under normal conditions of use, storage and transport.

### Possibility of hazardous reactions:

Material is stable under normal conditions.

### Conditions to avoid:

Heat, flames and sparks. Temperature extremes and direct sunlight.

### Incompatible materials:

Strong oxidizing agents. Strong acids. Strong Bases.

### Hazardous decomposition products:

No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute oral toxicity:

N/A

### Acute dermal toxicity:

N/A

### Acute inhalation toxicity:

N/A

### Skin corrosion/irritation:

N/A

### Serious eye damage/eye irritation:

N/A

### Respiratory or skin sensitization:

N/A

### Mutagenicity:

N/A

**Reproductive toxicity:**

N/A

**Carcinogenicity:**

N/A

Please note: Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity:**

Very toxic to aquatic life with long lasting effects.

**Persistence and Degradability:**

N/A

**Bioaccumulation:**

N/A

**Other Adverse Effects:**

N/A

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal instructions:**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations:**

Dispose in accordance with all applicable regulations.

**Hazardous waste code:**

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues/unused products:**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

**Contaminated packaging:**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14. TRANSPORT INFORMATION****IATA UN Number:**

3082

**IATA UN Proper Shipping Name:**

Environmentally hazardous substance, liquid n.o.s (Benzyl benzoate AND 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2naphthyl)ethan-1-one)

**IATA Transport Hazard Class:**

9

**IATA Packing group:**

III

<b>IATA Environmental Hazards:</b>	N/A
<b>IATA ERG Codes:</b>	N/A
<b>IATA Special Precautions:</b>	N/A
<b>IATA Other Information:</b>	N/A
<b>IMDG UN Number:</b>	3082
<b>IMDG UN Proper Shipping Name:</b>	Environmentally hazardous substance, liquid n.o.s (Benzyl benzoate AND 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2naphthyl)ethan-1-one)
<b>IMDG Transport Hazard Class:</b>	9
<b>IMDG Packing Group:</b>	III
<b>IMDG Environmental Hazards:</b>	Yes
<b>IMDG EMS:</b>	F-A, S-F
<b>IMDG Special Precautions:</b>	N/A
<b>IMDG Transport in Bulk:</b>	N/A

## SECTION 15. REGULATORY INFORMATION

### TSCA:

All components of this product are listed or excluded from listing on the TSCA inventory.

## SECTION 16. OTHER INFORMATION

The information and recommendations contained in this data sheet represent, to the best of CandleScience's knowledge and belief, an accurate and reliable representation as the known data for this material. Since the conditions for use, handling, storage and disposal of this product are beyond CandleScience's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising out of the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies (e.g. DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product, which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.